MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 80, Nos. 1–3 September 1991

CONTENTS

At the Cutting Edge

Steroid hormone actions at the plasma membrane: induced calcium uptake and exocytotic events
I. Nemere and A.W. Norman (U.S.A.) C165

Stress-induced changes in glucocorticoid receptors: molecular mechanisms and clinical implications
L.-N. Song (P.R. China) C171

Genes, hormones, and aging
P.J. Hornsby (U.S.A.) C175

Is arachidonic acid a second messenger in signal transduction?
Z. Naor (Israel) C181

PLC-α: a common mediator of the action of estrogen and other hormones?
C.V. Mobbs, M. Kaplitt, L.-M. Kow and D.W. Pfaff (U.S.A.) C187

Research Papers

Growth hormone and insulin-like growth factor I regulate collagen gene expression and extracellular collagen in cultures of avian skin fibroblasts
I. Granot, O. Halevy, S. Hurwitz and M. Pines (Israel) 1

Follicle-stimulating hormone increases c-fos mRNA levels in rat granulosa cells via a protein kinase C-dependent mechanism
M. Pennybacker and B. Herman (U.S.A.) 11

3β-Hydroxysteroid dehydrogenase/$\Delta^{5\rightarrow4}$-isomerase expression in rat and characterization of the testis isoform
M.C. Lorence, D. Naville, S.E. Graham-Lorence, S.O. Mack, B.A. Murry, J.M. Trant and J.I. Mason (U.S.A.) 21

Number and topography of epitopes of human chorionic gonadotropin (hCG) are shared by desialylated and deglycosylated hCG
S. Schwarz, H. Krude, R. Klieber, S. Dirnhofer, C. Lottersberger, W.E. Merz, G. Wick and P. Berger (Austria, F.R.G.) 33

Secretogranin I (chromogranin B) mRNA accumulation is hormonally regulated in GH3B6 rat pituitary tumor cells
J.N. Laverrière, J.L. Richard, A. Morin, N. Buisson, A. Tixier-Vidal, W.B. Huttner and D. Gourdji (France, F.R.G.) 41

Multihormonal regulation of the human prolactin gene expression from 5000 bp of its upstream sequence
M. Berwaer, P. Monget, B. Peers, M. Mathy-Hartert, E. Bellefroid, J.R.E. Davis, A. Belayew and J.A. Martial (Belgium, U.K.) 53

Synthesis and post-translational modification of the androgen receptor in LNCaP cells
G.G.J.M. Kuiper, P.E. De Ruiter, J.A. Grootegoed and A.O. Brinkmann (The Netherlands) 65

mRNAs for insulin-like growth factor-II (IGF-II) and variant IGF-II are co-expressed in human fetal ovary and uterus
J. Yeh, F.T. Danehy, R. Osathanondh and L. Villa-Komaroff (U.S.A.) 75

Markedly increased expression of cytochrome *P*-450 17α-hydroxylase (*P*-450$_{c17}$) mRNA in adrenocortical adenomas from patients with Cushing's syndrome
A. Ogo, M. Haji, M. Ohashi and H. Nawata (Japan) 83

cAMP-dependent protein kinase isozymes in porcine follicles and corpora lutea
D.A. DeManno and M. Hunzicker-Dunn (U.S.A.) 91

Human choriogonadotropin-induced coupling of receptor and Gs protein and the effect of hormone deglycosylation
P.K. Seth and O.P. Bahl (U.S.A.) 105

(continued on p. 216)

Cited in Biological Abstracts; Current Contents / Life Sciences; Excerpta Medica (EMBASE); Index Medicus; Informedicus; Pascal M

PRINTED IN THE NETHERLANDS

8th International Conference on Second Messengers and Phosphoproteins — The Biology and Medicine of Signal Transduction
3–8 August 1992, Glasgow, Scotland, U.K.
Information: Dr. P.R.M. Dobson, General Secretary, 8th International Conference on Second Messengers and Phosphoproteins, Institute of Endocrinology (HMCB), University of Sheffield Medical School, Beech Hill Road, Sheffield S10 2RX, U.K.

9th Meeting of the International Society of Endocrinology
30 August–5 September 1992, Nice, France
Information: Chairman Local Organizing Committee, Dr. R. Mornex, Hôpital Edouard Herriot, Place d'Arsonval, 69437 Lyon Cedex 08, France. Tel. 7234 4815; Fax 7234 8476. Further details: Secretary General, Professor Lesley H. Rees, Department of Chemical Endocrinology, 51–53 Bartholomew Close, London EC1A 7BE, U.K.

Contents (continued)

Identification of an inhibitory factor from a Sertoli clonal cell line (TM4) that modulates adult rat Leydig cell steroidogenesis
I.H. Zwain, P.L. Morris and C.Y. Cheng (U.S.A.) 115
Thyroid hormone and glucocorticoid regulation of receptor and target gene mRNAs in pituitary GH_3 cells
G.R. Williams, J.A. Franklyn and M.C. Sheppard (U.K.) 127
Transient expression analyses of DNA extending 2.4 kb upstream of the human renin gene
D.L. Smith and B.J. Morris (Australia) 139
Endothelin-1 in luteal tissue
S. Usuki, N. Suzuki, H. Matsumoto, M. Yanagisawa and T. Masaki (Japan) 147
Prostaglandin dehydrogenase activity in placenta and in maternal lung, kidney, and gastric mucosa during rat pregnancy
K. Nagai, H. Nabekura, M. Mibe, T. Ohshige and N. Mori (Japan) 153
The prolactin-inducible protein (*PIP*/GCDFP-15) gene: cloning, structure and regulation
Y. Myal, D.B. Robinson, B. Iwasiow, D. Tsuyuki, P. Wong and R.P.C. Shiu (Canada) 165
5-Aminolevulinate synthase mRNA levels in the Harderian gland of Syrian hamsters: correlation with porphyrin concentrations and regulation by androgens and melatonin
A. Menendez-Pelaez, C. Rodriguez and P. Dominguez (Spain) 177
Hydroxyphenyl acetate derivatives inhibit protein tyrosine kinase activity and proliferation in Nb2 rat lymphoma cells and insulin-induced lipogenesis in rat adipocytes
Y. Shechter, E. Sakal, R. Cohen, N. Cohen-Chapnik and A. Gertler (Israel) 183
Expression of luteinising hormone-β subunit chloramphenicol acetyltransferase (LH-β-CAT) fusion gene in rat pituitary cells: induction by cyclic 3′-adenosine monophosphate (cAMP)
R.N. Clayton, M.R.A. Lalloz, S.R.J. Salton and J.L. Roberts (U.K., U.S.A.) 193
Isolation and biochemical properties of four forms of glycosylated porcine prolactin
Y.N. Sinha, L.V. DePaolo, L.S. Haro, R.N.P. Singh, B.P. Jacobsen, K.E. Scott and U.J. Lewis (U.S.A.) 203

Calendar of Meetings 215

Notes to Authors